

Autocar Expert MY 2017 Medium Duty 4X2 Class 8 Standard and Optional Specifications

ENGINE AND EQUIPMENT	STANDARD	OPTIONAL
ENGINE MODEL	ISB '17, 200 HP / 2600RPM / 520 FT-LB, CUMMINS	ISB '17, 220 HP / 2600RPM / 520 FT-LB, CUMMINS ISB '17, 240 HP / 2600RPM / 560 FT-LB, CUMMINS ISB '17, 260 HP / 2600RPM / 660 FT-LB, CUMMINS ISL-G 250 HP @ 2200 RPM / 730FT-LBS CUMMINS WESTPORT ISL-G 260 HP @ 2200 RPM / 660FT-LBS CUMMINS WESTPORT ISL-G 300 HP @ 2200 RPM / 860FT-LBS CUMMINS-WESTPORT L9 '17, 260 HP / 2200RPM / 720 FT-LB, CUMMINS L9 '17, 270 HP / 2200RPM / 800 FT-LB, CUMMINS L9 '17, 300 HP / 2200RPM / 860 LB-FT, CUMMINS L9 '17, 330 HP / 2200RPM / 1000 LB-FT, CUMMINS L9 '17, 350 HP / 2200RPM / 1000 FT-LB, CUMMINS L9 '17, 350 Hi HP / 2200RPM / 1150 FT-LB, CUMMINS
EXHAUST (DIESEL) EXHAUST (GAS)	LH VERTICAL SMA	RH HORIZONTAL SMA SINGLE VERTICAL-LEFT HAND SIDE SINGLE HORIZONTAL RH SIDE
DEF TANK	RH OVER FENDER MOUNTED 5 GAL. CAPACITY W/LOCKABLE CAP	LH FRAME MOUNTED, 5 GAL. CAPACITY W/LOCKABLE CAP RH OVER FENDER MOUNTED 5 GAL. CAPACITY NON LOCKABLE CAP LH FRAME MOUNTED, 5 GAL. CAPACITY NON LOCKABLE CAP RH OVER FENDER MOUNTED 10 GAL. CAPACITY NON LOCKABLE CAP LH FRAME MOUNTED, 10 GAL. CAPACITY NON LOCKABLE CAP NO DEF TANK PROVIDED
AIR CLEANER	13" ONE STAGE	13" ONE STAGE WITH SAFETY ELEMENT
RADIATOR	1000 SQ. IN. 3 ROW HIGH CAPACITY, COPPER / BRASS	1000 SQ. IN. ALUMINUM
RADIATOR SHELL/HOOD BEZEL		RADIATOR GUARD
FAN & DRIVE	FAN CLUTCH, VISCOUS	2-SPEED FAN
COOLANT HOSES/PIPING	SILICONE HOSES WITH STEEL TUBING	
COOLANT	EXTENDED LIFE COOLANT	
ENGINE BLOCK HEATER		PHILLIPS 120V 1000 WATT WITH STEP MOUNTED RECEPTACLE
STARTING AID-GLOW PLUG		GRID HEATER
HEATER-ENGINE OIL PAN		ZERO-START, 120V-150W, OIL PAN HEATER
ENGINE IDLE SHUT DOWN	ENGINE IDLE SHUT DOWN ENABLED (5 MINUTES)	ENGINE IDLE SHUT DOWN DISABLED
TRANSMISSION AND EQUIPMENT	STANDARD	OPTIONAL
TRANSMISSION MODEL	ALLISON 3000 SERIES,6-SPEED	ALLISON 3500 SERIES,6-SPEED
TRANSMISSION GEARING	6-SPEED	
TRANSMISSION CONTROLS	ALLISON PUSHBUTTON CONTROLS	
COOLER-TRANSMISSION OIL	OIL TO WATER TYPE	REMOTE MOUNTED TOC
TRANSMISSION LUBRICANT	TRANSYND SYNTHETIC AUTO TRANS FLUID	
DRIVESHAFT-MAIN	DANA SPICER 1710HD HALF ROUND	
TRANSMISSION SUPPORTS		TRANSMISSION REAR SUPPORT
PTO-TRANSMISSION MOUNTED		PTO PREP - 3000/3500 TRANSMISSION W/ REAR SUPPORT PTO - MUNCIE CS24-A1010-H3BX RH 3000/3500 TRANSMISSION, RH MOUNTED
FRONT AXLE AND EQUIPMENT	STANDARD	OPTIONAL
AXLE MODEL	DANA 1202W STEER AXLE, 12000 LB CAPACITY	DANA E-1322-W, 13,200 LB CAPACITY DANA E-1462W STEER AXLE, 14600 LB CAPACITY MERITOR MFS-14 STEER AXLE, 14700 LB CAPASITY MERITOR MFS-16 STEER AXLE, 16000 LB CAPASITY
FRONT SUSPENSION	5500 LB FLATLEAF 12,500 GROUND CAPACITY	6,000 LB FLAT LEAF, 13,200K GND CAP 6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY
SHOCK ABSORBERS	DOUBLE ACTING SINGLE - HEAVY DUTY	
POWER STEERING	INTEGRAL POWER STEERING W/O ASSIST RAM TAS65	DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM TAS85 DUAL INTEGRAL POWER STEERING TAS85
POWER STEERING RESERVOIR	2 QUART REMOTE MOUNTED	FOUR QUART REMOTE MOUNTED
ABS	ABS 4S/4M W/PLC	ABS 4S/4M W/PLC AND ATC
BRAKES-FOUNDATION, FRONT AXLE	MERITOR 16.5X5 QP	MERITOR 16.5X6 QP
BRAKE DRUM-FRONT	CAST IRON	
BRAKE SLACK ADJUSTERS-FRONT AXLE	MERITOR AUTOMATIC	
FRONT HUBS	STEEL HUB PILOTED,285MM BOLT CIRCLE	
REAR AXLE AND EQUIPMENT	STANDARD	OPTIONAL
AXLE MODEL	MERITOR RS24-160, SINGLE REDUCTION AXLE (6.14 : 1 RATIO)	DANA SPICER 21060S 21,000 LB CAPACITY (6.17 or 7.17 : 1 RATIO) DANA SPICER S21 - 170E SINGLE SPEED 21,000 LBS (6.17 or 7.17 : 1 RATIO)

Autocar Expert MY 2017 Medium Duty 4X2 Class 8 Standard and Optional Specifications

REAR SUSPENSION	HENDRICKSON HTS 23,000 LBS	DANA SPICER 21065T TWO SPEED 21,000 LBS (6.14/8.42 or 7.17/9.77 : 1 RATIO) DANA S23-170, SINGLE REDUCTION AXLE (6.14 or 7.17 : 1 RATIO) DANA S23-190E SINGLE REDUCTION AXLE (6.14 or 7.17 : 1 RATIO) DANA SPICER 23082T TWO SPEED 23,000 LBS (6.17/8.40/739 or 5.43/840/739: 1 RATIO) MERITOR RS26-185, SINGLE REDUCTION AXLE (6.14 : 1 RATIO) DANA S30-190 WIDE TRACK AXLE, (30,000 LB CAPACITY) (6.14 or 7.17 : 1 RATIO) DANA S30-190, (30,000 LB CAPACITY) (6.14 or 7.17 : 1 RATIO) HENDRICKSON HTS 21,000 LBS HENDRICKSON HTS 26,000 LBS HENDRICKSON HTS 31,000 LBS HAS - 210 AIR RIDE SUSPENSION HAS - 230 AIR RIDE SUSPENSION REYCO 102CC 31000 LB GROUND CAPACITY HENDRICKSON PAX-EX 262, AIR RIDE, 26,000 LB CAPACITY FOR AIR SUSPENSION - INBOARD MOUNTED FOR AIR SUSPENSION - OUTBOARD MOUNTED NO SHOCK ABSORBERS REAR SUSP. PROVIDED ABS 4S/4M W/PLC AND ATC MERITOR 16.5X7 P CAST SHOE
SHOCK ABSORBERS	2 SHOCK ABSORBERS	
ABS	ABS 4S/4M W/PLC	
BRAKES	ARVIN MERITOR 16.5X7 Q PLUS	
BRAKE DRUMS	CAST IRON	
BRAKE SLACK ADJUSTERS-REAR AXLE	ARVIN MERITOR AUTOMATIC-SINGLE AXLE	
REAR HUBS	IRON HUB, HP 10 STUD	
CHASSIS AND EQUIPMENT	STANDARD	OPTIONAL
WHEELBASE	164 INCHES	132, 135, 138, 141, 144, 147, 149 INCHES 151, 152, 155, 157, 158, 161, 167, 170, 171, 174, 178 INCHES 181, 184, 186, 190, 193, 196 INCHES 200, 203, 206, 209, 212, 215, 218, 220, 222 INCHES RANGE BY REQUEST
FRAME	10" X 3" X 3/8" 120KSI STRAIGHT RAIL SECTION - 2.13M RBM	
FRAME REINFORCEMENT INNER	NO INNER FRAME REINFORCEMENT PROVIDED	.25" LINER, STANDARD LENGTH
FRAME FASTENERS	HUCK BOLTS	FASTENERS AVAILABLE BY REQUEST FOR BODY MOUNTING
BUMPER	STANDARD DUTY BUMPER	AUTOMOTIVE STYLE BUMPER HEAVY DUTY HEAVY DUTY WITH SNOW PLOW
TOW DEVICE(S)	TWO TOW HOOKS INTEGRAL W/X-MEMBER	
AIR TANK-BRAKE	STEEL TANKS FOR SINGLE AXLE	
AIR TANK MOUNTING	AS MANY TANKS IN RAIL AS POSSIBLE	
PNEUMATIC SYSTEM (RAPID FILL)	STANDARD	OPTIONAL
AIR COMPRESSOR	CUMMINS WABCO 18.7 CFM COMPRESSOR	
AIR SYSTEM DRAIN VALVE	PULL CORDS ALL TANKS	PULL CORDS WITH DV/2 WET TANK DRAIN PULL CORDS WITH HEATED DV/2 WET TANK DRAIN CENTRAL DRAIN MANIFOLD WITH DV/2 WET TANK DRAIN CENTRAL DRAIN MANIFOLD WITH HEATED DV/2 WET TANK DRAIN DV/2 IN ALL TANKS (NON-HEATED)
AIR LINES-MAIN, CHASSIS	SAE J844 NYLON TUBING	
FUEL SYSTEM	STANDARD	OPTIONAL
FUEL TANK-LEFT	50 GAL RECT STEEL TANK, LH MOUNTED	50 GAL ALUMINUM RECR TANK, LH MOUNTED 75 GAL 26" DIA UNPAINTED ALUMINUM 75 GAL 26" ROUND STEEL TANK TEMP. FUEL TANK ALTERNATE FUEL ENGINE-NO LH TANK DELETE LHS FUEL TANK
FUEL TANK-RIGHT	DELETE RHS FUEL TANK	50 GAL RECT STEEL TANK, RH MOUNTED 50 GAL ALUMINUM RECT TANK, RH MOUNTED 75 GAL 26" DIA UNPAINTED ALUMINUM 75 GAL 26" DIA STEEL
FUEL FILTER ENGINE MOUNTED	SPIN-ON, ENGINE MOUNTED	NATURAL GAS FUEL CLEANER
FUEL FILTER CHASSIS MOUNTED	FLEETGUARD FS SERIES F / W SEPARATOR, PROBE & DASH LIGHT	FLEETGUARD FS SERIES F / W HEATER, SEPARATOR, PROBE & DASH LIGHT NO ADDITIONAL FUEL FILTER PROVIDED
FUEL LINES	SAE J844 NYLON TUBING	STAINLESS STEEL FOR CNG OR LNG
ALTERNATE FUEL STORAGE	NO BOC MOUNTED ALT FUEL STORAGE	CNG 60 DGE BOC CABINET SYSTEM - 4 TANKS, FMM MOUNTED BELOW ON LH CNG 75 DGE BOC CABINET SYSTEM - 5 TANKS, FMM MOUNTED BELOW ON LH CNG 75 DGE BOC CABINET SYSTEM - 3 TANKS, FMM MOUNTED BELOW ON LH

Autocar Expert MY 2017 Medium Duty 4X2 Class 8 Standard and Optional Specifications

CNG 60 DGE BOX CABINET SYSTEM - 4 TANKS/ INTEG FMM-HI PRESS PORT
 CNG 60 DGE BOX CABINET SYSTEM - 4 TANKS/ INTEG FMM-LOW PRESS PORT

TIRES AND WHEELS	STANDARD	OPTIONAL
TIRE SIZE & LOAD RANGE - FRONT	11R22.5G	11R22.5H 12R22.5J 12R22.5H 275/70R22.5H 315/80R22.5L 315/80R22.5M
FRONT WHEELS	22.5x8.25 STEEL HP, 6.18" INSET, 5HH	22.5x8.25" ALUMINUM HP, 5.79" INSET, ALCOA #883677 LV1 FINISH 22.5X9.0 STEEL, HP, 5.25" INSET, 5HH, ACCURIDE #29039 22.5x9.0" ALUMINUM HP, 5.96" INSET, ALCOA #894647 LV1 FINISH
REAR TIRES	11R22.5G	11R22.5H 12R22.5H 275/70R22.5H 315/80R22.5L 315/80R22.5M
REAR WHEELS	22.5X8.25 STEEL, HP, 5HH	22.5x8.25" ALUMINUM HP, ACCURIDE #41644 22.5X8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5X9.00" ALUMINUM HP, ACCURIDE #29730 22.5X9.0 STEEL, HP, 5HH
ELECTRICAL SYSTEM	STANDARD	OPTIONAL
ELECTRICAL SYSTEM	12V, NEGATIVE GROUND	
ALTERNATOR	DELCO REMY 12V 130AMP 22SI	DELCO REMY 36SI 12V 160 AMP DELCO REMY 160 AMP, 28SI PAD MTD W/REMOTE SENSE DELCO REMY 200 AMP, 28SI PAD MTD. DELCO REMY 12V 39 MT W/OCP 2 BATTERIES, 31 ECL, 12V, 1900CCA
STARTER	DENSO 12V STARTER W/OCP	
BATTERIES	2 BATTERIES, 12V, 1500CCA	
WINDSHIELD WIPERS	ELECTRIC INTERMITTENT WIPERS	
BACKUP ALARM	ECCO SMART ALARM SA917	ECCO RMS 917 WITH MOTION DETECTOR NO BACKUP ALARM PROVIDED
HORN	SINGLE ELECTRIC	
HORN-AIR	NO AIR HORN PROVIDED	TWIN MOUNTED UNDER CAB
LIGHTING	STANDARD	OPTIONAL
HEADLAMPS	RECTANGULAR SEALED BEAM	LED HEADLAMPS
LAMPS-STOP-TAIL	NO TAIL OR BACK-UP LAMPS PROVIDED	DOT 4" INCANDESCENT TAIL (TURN/BRAKE/BACK-UP) LAMPS DOT 4" LED TAIL (TURN/BRAKE/BACK-UP) LAMPS CLEARANCE (ROOF CORNER) LAMPS WIRED TO BATTERY SHUT OFF
LAMPS-MARKER	AMBER LED ROOF MARKERS	
CAB AND EQUIPMENT	STANDARD	OPTIONAL
CAB SHELL	SINGLE LEFT HAND DRIVE CAB	DUAL DRIVE LH AND RH SIT SINGLE RIGHT HAND DRIVE CAB
CAB DOORS	STEEL DOORS W/DUAL POWER WINDOWS	
STEP-CAB ACCESS, CAB MOUNTED	DUAL SELF CLEANING CAB ENTRANCE STEPS	
CAB FLOOR	WEAR RESISTANT MAT WITH FOAM BACK	
CAB DASH	DARK GREY WRAP-AROUND, 2X OVERSIZED CUP HOLDERS	
OVERHEAD CONSOLE	2X STORAGE BINS, CENTER MOUNTED RADIO SLEEVE	
CAB MOUNTING	PROGRESSIVE RUBBER MOUNTS - FRONT COIL AND SHOCK ABS - REAR	
CAB TILT MECHANISM-C.O.E.	HYDRAULIC TILT WITH OUTO ENGAGE SAFETY LATCH	
MIRRORS-DUAL WEST COAST	MIRROR, BLACK, MOTORIZED/HTD POLYCARBONATE HOUSING W/SQUARE MOTORIZED/HTD CONVEX MIRROR	MIRROR, CHROME, HTD, REMOTE, W / LWR HTD CONVEX LOW MOUNT 8" CONVEX MIRROR BLACK POLYCARBONATE HOUSING
MIRRORS-AUXILIARY	NO CONVEX AUX. MIRRORS PROVIDED	SINGLE DOWN VIEW MIRROR, RH SIDE
DOWN VIEW MIRRORS	NO DOWN VIEW MIRRORS PROVIDED	DUAL DOWN VIEW MIRRORS, ONE EACH SIDE CHROMED AUTOCAR GRILLE AUTOCAR GRILLE WITH REMOVABLE WINTERFRONT COVER AUTOCAR CHROME GRILLE WITH REMOVABLE WINTERFRONT COVER
GRILLE	AUTOCAR GRILLE BLACK	
CAB CLIMATE CONTROL SYSTEM	44,000 BTU FRESH AIR, HEATER AND AIR CONDITIONER, DIGITAL CLIMATE CONTROL	
STEERING COLUMN	ADJ. TILT AND TELESCOPIC STEERING COLUMN	DUAL ADJ. TILT AND TELESCOPIC STEERING COLUMNS
STEERING WHEEL	SINGLE DRIVE 16 INCH DIAMETER	SINGLE DRIVE 18 INCH DIAMETER DUAL DRIVE 16 INCH DIAMETER DUAL DRIVE 18 INCH DIAMETER

Autocar Expert MY 2017 Medium Duty 4X2 Class 8 Standard and Optional Specifications

SEAT-DRIVER	STANDARD MECHANICAL SUSPENSION SEAT WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE ISRI HT914 HIGH BACK, AIR RIDE W/ RH ARM REST AND LUMBAR
SEAT-PASSENGER	STANDARD MECHANICAL SUSPENSION SEAT WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE ISRI HT914 HIGH BACK, AIR RIDE W/ LH ARM REST AND LUMBAR
ADDITIONAL SEAT - PASSENGER	NO THIRD MAN SEAT AND LAP BELT PROVIDED	THIRD MAN SEAT AND LAP BELT - CENTER MOUNTED
SEAT COVERING	BLACK CONDURA PLUS® CLOTH FABRIC	
SEAT BELT	THREE POINT RETRACTABLE	THREE POINT RETRACTABLE BRIGHT ORANGE COLOR 3RD MAN SEAT AND LAP BELT -CENTER MOUNTED
SUN VISORS	LEFT AND RIGHT SIDE	
RADIO	RADIO PREP IN OVERHEAD CONSOLE	AM/FM / CD STEREO, ROOF MTD AM/FM/WB/MP3/CD/USB/BLUETOOTH
POWER PORT	12V AND DASH MOUNTED CIGAR LIGHTER	
ADDITIONAL ELEC. SWITCHES	NO ADDITIONAL ELEC. SWITCHES	2 DASH SWITCHES, WIRED TO POWER
LAMPS-CAB INTERIOR	LED DOME LAMPS	FLEX MAP
KEY & LOCK SETS-IGN/DOORS	2 ADDITIONAL KEYS PER TRUCK (4 TOTAL)	4 ADDITIONAL KEYS PER TRUCK (6 TOTAL) KEYED ALIKE FLEET SET #1 (23112213)

PAINT	STANDARD	OPTIONAL
CAB PAINT TYPE	STANDARD WHITE	CAB FIRST COLOR OTHER THAN STD, NON METALLIC CAB FIRST COLOR, METALLIC
CHASSIS COLOR	BLACK P3036	CHASSIS COLOR OTHER THAN STD. - SPECIFY
BUMPER COLOR	BUMPER COLOR SAME AS CAB WHITE	PAINT SAME AS CAB, STEEL BUMPER COLOR SAME AS CHASSIS
DISC WHEEL OR RIM COLOR	STEEL, E-COAT WHITE / ALUM-UNPAINTED	CUSTOM COLOR - SPECIFY (PRICE PER WHEEL) STEEL, E-COAT GREY/ ALUM-UNPAINTED

BASIC WARRANTIES (INDUSTRY BEST)	STANDARD	OPTIONAL
CHASSIS WARRANTY	STANDARD WARRANTY	EXTENDED WARRANTY - 2 YEARS / 200K MILES EXTENDED WARRANTY - 3 YEARS / 300K MILES EXTENDED WARRANTY - 4 YEARS / 350K MILES EXTENDED WARRANTY - 5 YEARS / 400K MILES
ENGINE WARRANTY	CUMMINS STANDARD WARRANTY (2 YRS -ISL, 3 YRS ISB)	2017 ISB HD1 4YRS/200K MILES EXT WARRANTY PP1 MATRIX #231131 2017 ISB HD1 5YRS/250K MILES EXT WARRANTY PP1 MATRIX #231131 2017 ISB HD1 5YRS/300K MILES EXT WARRANTY PP1 MATRIX #231131 2017 ISL HD1 3YRS/100K MILES EXT WARRANTY PP1 MATRIX #231156 2017 ISL HD1 3YRS/150K MILES EXT WARRANTY PP1 MATRIX #231156 2017 ISL HD1 4YRS/200K MILES EXT WARRANTY PP1 MATRIX #231156 2017 ISL HD1 5YRS/250K MILES EXT WARRANTY PP1 MATRIX #231156 2013 ISL HD1 5YRS/300K MILES EXT WARRANTY PP1 MATRIX #231156 2015 ISL-G GT1 5YRS/200K MILES EXT WARRANTY PP1 2015 ISL-G GT1 5YRS/150K MILES EXT WARRANTY PP1
CUMMINS AFTERTREATMENT	NO EXTENDED AFTERTREATMENT WARRANTY (2 YRS -ISL, 3 YRS ISB)	2017 ISB AT3 AFTERTREATMENT 4YRS/200K MILES EXT WARRANTY MATRIX #231345 2017 ISB AT3 AFTERTREATMENT 5YRS/250K MILES EXT WARRANTY MATRIX #231345 2017 ISB AT3 AFTERTREATMENT 5YRS/300K MILES EXT WARRANTY MATRIX #231345 2017 ISL AT3 AFTERTREATMENT 3YRS/100K MILES EXT WARRANTY MATRIX #231445 2017 ISL AT3 AFTERTREATMENT 3YRS/150K MILES EXT WARRANTY MATRIX #231445 2017 ISL AT3 AFTERTREATMENT 4YRS/200K MILES EXT WARRANTY MATRIX #231445 2017 ISL AT3 AFTERTREATMENT 5YRS/250K MILES EXT WARRANTY MATRIX #231445 2017 ISL AT3 AFTERTREATMENT 5YRS/300K MILES EXT WARRANTY MATRIX #231445
TRANSMISSION WARRANTY	ALLISON 3YR. EDGE WARRANTY	ALLISON 5YR. EDGE WARRANTY

VEHICLE RATINGS	STANDARD	OPTIONAL
VEHICLE TARE WEIGHT, FRONT	8,114 lbs.	
VEHICLE TARE WEIGHT, REAR	3,682 lbs.	
GAWF	12000 LBS	13000 LBS 14000 LBS 16000 LBS 21000 LBS 26000 LBS 30000 LBS
GAWR	23000 LBS	34000 LBS 36000 LBS 37000 LBS 38000 LBS 39000 LBS 40000 LBS
GVWR	35000 LBS	

Autocar Expert MY 2017 Medium Duty 4X2 Class 8 Standard and Optional Specifications

43000 LBS
 44000 LBS
 45000 LBS
 46000 LBS

VOCATION

APPLICATIONS CONCRETE PUMPER, ASPHALT DISTRIBUTOR, SWEEPER, ROAD PATCHER, REFUSE, CITY DELIVERY/BOX TRUCK, PAINT STRIPER, GEN UTILITY, ETC
 BODY CAPACITY 5,6,7,8,9,10,11,12,13,14,16,20 YARD

CAB INSTRUMENTATION

SPEEDOMETER
 TACHOMETER
 ENGINE OIL PRESSURE
 COOLANT TEMPERATURE
 TRANSMISSION OIL TEMPERATURE
 VOLTMETER
 FUEL LEVEL
 HOUR METER
 DEF LEVEL
 PRIMARY (A) AIR PRESSURE
 SECONDARY (B) AIR PRESSURE
 ODOMETER
 TRIPMETER

CAB WARNING DEVICES

PARK BRAKE
 HIGH BEAM
 TURN SIGNAL
 LOW FUEL
 LOW AIR
 SEAT BELT
 DPF
 HEST
 AIR RESTRICTION INDICATOR
 FILTER WITH WATER IN FUEL INDICATOR

OPERATORS CONTROLS

PARK BRAKE PUSH/PULL
 HEADLAMPS
 TURN SIGNAL COLUMN MOUNTED
 BRAKE PEDAL
 ACCELERATOR PEDAL
 TRANSMISSION GEAR SELLECTOR PUSH BUTTON

OPTIONAL EQUIPMENT

FIRE EXTINGUISHER DRY TYPE ABC 5LB. CAP MTD. IN CAB
 TRIANGLE FLARE KIT IN CAB
 ADDITIONAL INSTRUMENTATION
 AUTO NEUTRAL
 EXHAUST BRAKE
 METHANE DETECTION SYSTEM
 BATTERY SHUTOFF SWITCH WITH EMERGENCY JUMPER STUDS
 PTO CONTROL SWITCH
 DAYTIME RUNNING LAMPS
 DRIVER CAM WIRING PREP OVERHEAD CONSOLE
 3RD EYE CAMERA PREP (CAB ONLY)
 DIAGNOSTIC AND INFORMATION DISPLAY