

NGINE AND EQUIPMENT	STANDARD	OPTIONAL
NE MODEL	L9 '17, 300 HP / 2200RPM / 860 LB-FT, CUMMINS	ISL-G 250 HP @ 2200 RPM / 730FT-LBS CUMMINS WESTPORT
1.20000	D/ 17, 500 III / ZZOOM NI/ 000 ED-1 1, CONNING	ISL-G 260 HP @ 2200 RPM / 660FT-LBS CUMMINS WESTFORT
		ISL-G 300 HP @ 2200 RPM / 860FT-LBS CUMMINS-WESTPORT
		L9 '17, 260 HP / 2200RPM / 720 FT-LB, CUMMINS
		L9 '17, 270 HP / 2200RPM / 800 FT-LB, CUMMINS
		L9 '17, 300 HP / 2200RPM / 860 LB-FT, CUMMINS
		L9 '17, 330 HP / 2200RPM / 1000 LB-FT, CUMMINS
		L9 '17, 350 HP / 2200RPM / 1000 FT-LB, CUMMINS
IAUST (DIESEL)	LH VERTICAL SMA	RH HORIZONTAL SMA
XHAUST (GAS)		SINGLE VERTICAL-LEFT HAND SIDE
		SINGLE HORIZONTAL RH SIDE
TANK	RH OVER FENDER MOUNTED 5 GAL. CAPACITY W/LOCKABLE CAP	LH FRAME MOUNTED, 5 GAL. CAPACITY W/LOCKABLE CAP
771111	THE OVERTICAL PROPERTY OF THE CHARGE TO AN ADDRESS OF THE CHARGE TO ADDRE	RH OVER FENDER MOUNTED 5 GAL. CAPACITY NON LOCKABLE CAP
		LH FRAME MOUNTED, 5 GAL. CAPACITY NON LOCKABLE CAP
		RH OVER FENDER MOUNTED 10 GAL. CAPACITY NON LOCKABLE CAP
		LH FRAME MOUNTED, 10 GAL. CAPACITY NON LOCKABLE CAP
		NO DEF TANK PROVIDED
CLEANER	13" ONE STAGE	13" ONE STAGE WITH SAFETY ELEMENT
DIATOR	1000 SQ. IN. ALUMINUM	
DIATOR SHELL/HOOD BEZEL		RADIATOR GUARD
& DRIVE	2-SPEED FAN	
DLANT HOSES/PIPING	SILICONE HOSES WITH STEEL TUBING	
LANT		
	EXTENDED LIFE COOLANT	NAME A DOMESTIC OF THE PARTY OF
SINE BLOCK HEATER		PHILLIPS 120V 1000 WATT WITH STEP MOUNTED RECEPTACLE
RTING AID-GLOW PLUG		GRID HEATER
ATER-ENGINE OIL PAN		ZERO-START,120V-150W, OIL PAN HEATER
GINE IDLE SHUT DOWN	ENGINE IDLE SHUT DOWN ENABLED (5 MINUTES)	ENGINE IDLE SHUT DOWN DISABLED
A NOMECCION A NID EQUIDMENT	CT AND A DD	OMETONAL
NSMISSION AND EQUIPMENT NSMISSION MODEL	STANDARD ALLISON 3000 SERIES,6-SPEED	OPTIONAL ALLISON 3500 SERIES,6-SPEED
		ALLISON 3300 SERIES,0-SPEED
NSMISSION GEARING	6-SPEED	
ANSMISSION CONTROLS	ALLISON PUSHBUTTON CONTROLS	
LER-TRANSMISSION OIL	REMOTE MOUNTED TOC	
NSMISSION LUBRICANT	TRANSYND SYNTHETIC AUTO TRANS FLUID	
VESHAFT-MAIN	SPICER 1710HD HALF ROUND	
NSMISSION SUPPORTS		TRANSMISSION REAR SUPPORT
-TRANSMISSION MOUNTED		PTO PREP - 3000/3500 TRANSMISSION W/ REAR SUPPORT
THE SIMOSION MOUNTED		PTO - MUNCIE CS24-A1010-H3BX RH 3000/3500 TRANSMISSION, RH MOUNTED
		TTO MONCIE CO2T MOTOTISEM NIT JUUU/JSVO TRANSMISSION, NIT MOUNTED
NT AXLE AND EQUIPMENT	STANDARD	OPTIONAL
XXLE MODEL	DANA 1202W STEER AXLE, 12000 LB CAPACITY	DANA E-1322-W, 13,200 LB CAPACITY
	·	DANA E-1462W STEER AXLE, 14600 LB CAPACITY
		MERITOR MFS-14 STEER AXLE, 14700 LB CAPASITY
		MERITOR MFS-14 STEER AXLE, 14700 LB CAPASITY
		MERTIOR MES-10 STEEK AALE, 10000 LB CAPASITY
NE CLICDENCION	SSOOLD ELATERATE 12 SOO CROUND CARACITY	COOKED FLATTERE 12 200K CND CAD
NT SUSPENSION	5500 LB FLATLEAF 12,500 GROUND CAPACITY	6,000 LB FLAT LEAF, 13,200K GND CAP
NT SUSPENSION	5500 LB FLATLEAF 12,500 GROUND CAPACITY	6,000 LB FLAT LEAF, 13,200K GND CAP 6500 LB FLATLEAF 14,500 GROUND CAPACITY
T SUSPENSION	5500 LB FLATLEAF 12,500 GROUND CAPACITY	
	5500 LB FLATLEAF 12,500 GROUND CAPACITY DOUBLE ACTING SINGLE - HEAVY DUTY	6500 LB FLATLEAF 14,500 GROUND CAPACITY
CK ABSORBERS	DOUBLE ACTING SINGLE - HEAVY DUTY	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY
CK ABSORBERS	,	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY DUAL INTEGRAL POWER STEERING TAS65
CK ABSORBERS	DOUBLE ACTING SINGLE - HEAVY DUTY	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM TAS85
CK ABSORBERS /ER STEERING	DOUBLE ACTING SINGLE - HEAVY DUTY INTEGRAL POWER STEERING W/O ASSIST RAM TAS65	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM TAS85 DUAL INTEGRAL POWER STEERING TAS85
CK ABSORBERS ER STEERING	DOUBLE ACTING SINGLE - HEAVY DUTY	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM TAS85
CK ABSORBERS /ER STEERING /ER STEERING RESERVOIR	DOUBLE ACTING SINGLE - HEAVY DUTY INTEGRAL POWER STEERING W/O ASSIST RAM TAS65	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM TAS85 DUAL INTEGRAL POWER STEERING TAS85
CK ABSORBERS ER STEERING ER STEERING RESERVOIR	DOUBLE ACTING SINGLE - HEAVY DUTY INTEGRAL POWER STEERING W/O ASSIST RAM TAS65 2 QUART REMOTE MOUNTED ABS 6S/4M W/PLC	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM TAS85 DUAL INTEGRAL POWER STEERING TAS85 FOUR QUART REMOTE MOUNTED
OCK ABSORBERS VER STEERING VER STEERING RESERVOIR S LKES-FOUNDATION, FRONT AXLE	DOUBLE ACTING SINGLE - HEAVY DUTY INTEGRAL POWER STEERING W/O ASSIST RAM TAS65 2 QUART REMOTE MOUNTED ABS 6S/4M W/PLC MERITOR 16.5X6 QP	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM TAS85 DUAL INTEGRAL POWER STEERING TAS85 FOUR QUART REMOTE MOUNTED
OCK ABSORBERS WER STEERING WER STEERING RESERVOIR S AKES-FOUNDATION, FRONT AXLE AKE DRUM-FRONT	DOUBLE ACTING SINGLE - HEAVY DUTY INTEGRAL POWER STEERING W/O ASSIST RAM TAS65 2 QUART REMOTE MOUNTED ABS 6S/4M W/PLC MERITOR 16.5X6 QP CAST IRON	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM TAS85 DUAL INTEGRAL POWER STEERING TAS85 FOUR QUART REMOTE MOUNTED
ONT SUSPENSION OCK ABSORBERS WER STEERING WER STEERING RESERVOIR S AKES-FOUNDATION, FRONT AXLE AKE DRUM-FRONT AKE SLACK ADJUSTERS-FRONT AXLE	DOUBLE ACTING SINGLE - HEAVY DUTY INTEGRAL POWER STEERING W/O ASSIST RAM TAS65 2 QUART REMOTE MOUNTED ABS 6S/4M W/PLC MERITOR 16.5X6 QP CAST IRON MERITOR AUTOMATIC	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM TAS85 DUAL INTEGRAL POWER STEERING TAS85 FOUR QUART REMOTE MOUNTED
CK ABSORBERS /ER STEERING /ER STEERING RESERVOIR .KES-FOUNDATION, FRONT AXLE .KE DRUM-FRONT	DOUBLE ACTING SINGLE - HEAVY DUTY INTEGRAL POWER STEERING W/O ASSIST RAM TAS65 2 QUART REMOTE MOUNTED ABS 6S/4M W/PLC MERITOR 16.5X6 QP CAST IRON	6500 LB FLATLEAF 14,500 GROUND CAPACITY 7500 LB FLATLEAF 16,500 GROUND CAPACITY DUAL INTEGRAL POWER STEERING TAS65 INTEGRAL POWER STEERING W/O ASSIST RAM TAS85 DUAL INTEGRAL POWER STEERING TAS85 FOUR QUART REMOTE MOUNTED



Autocar Expert MY 2017 Medium Duty 6X4 Class 8 Standard and Optional Specifications

REAR AXLE AND EQUIPMENT	STANDARD	OPTIONAL
AXLE MODEL (TANDEM)	MERITOR MT40-14X (40000 LBS) (6.14 : 1 or 4.63/4.88/5.29/5.86:1 RATIO)	OI HOURIE
REAR SUSPENSION	HENDRICKSON HMX-400 SUSP @ 54" AS	HENDRICKSON PAX-EX-462, AIR RIDE @ 54", 46,000 LB CAP
		HENDRICKSON HAS 402, AIR RIDE, 40,000 LB CAPACITY
SHOCK ABSORBERS	4 SHOCK ABSORBERS HENDRICKSON SUSPENSION	
ABS	ABS 6S/4M W/PLC	ABS 6S/4M W/ATC & PLC
BRAKES	ARVIN MERITOR 16.5X7 Q PLUS	
BRAKE DRUMS	CAST IRON	
BRAKE SLACK ADJUSTERS-REAR AXLE REAR HUBS	MERITOR AUTOMATIC,TANDEM AXLE IRON HUB, HP 10 STUD	
REAR HUBS	IKOWHOD, III 10 STOD	
CHASSIS AND EQUIPMENT	STANDARD	OPTIONAL
WHEELBASE	150 INCHES	153, 156, 159, 162, 165, 168 INCHES
		171, 174, 177, 180, 183, 186, 189, 192, 195, 198 INCHES
		201, 204, 207, 210, 213, 216, 219, 220, 222 INCHES
		RANGE BY REQUEST
FRAME	10" X 3" X 3/8" 120KSI STRAIGHT RAIL SECTION - 2.13M RBM	
FRAME REINFORCEMENT INNER	.25" LINER, STANDARD LENGTH	EACHENEDS AVAILABLE BY DEOLIGST FOR DODY MOUNTAINS
FRAME FASTENERS BUMPER-FRONT	HUCK BOLTS STANDARD DUTY BUMBER	FASTENERS AVAILABLE BY REQUEST FOR BODY MOUNTING AUTOMOTIVE STYLE BUMPER
BUMPER-FRONT	STANDARD DUTY BUMPER	HEAVY DUTY
		HEAVY DUTY WITH SNOW PLOW
TOW DEVICE(S)	TWO TOW HOOKS INTEGRAL W/X-MEMBER	
AIR TANK-BRAKE	STEEL AIR TANKS	
AIR TANK MOUNTING	AS MANY TANKS IN RAIL AS POSSIBLE	
PNEUMATIC SYSTEM (RAPID FILL)	STANDARD CUMMINS WABCO 18.7 CFM COMPRESSOR	OPTIONAL
AIR COMPRESSOR AIR SYSTEM DRAIN VALVE	PULL CORDS ALL TANKS	PULL CORDS WITH DV/2 WET TANK DRAIN
AIR STSTEW DRAIN VALVE	TULL CONDS ALL TAINES	PULL CORDS WITH HEATED DV/2 WET TANK DRAIN PULL CORDS WITH HEATED DV/2 WET TANK DRAIN
		CENTRAL DRAIN MANIFOLD WITH DV/2 WET TANK DRAIN
		CENTRAL DRAIN MANIFOLD WITH HEATED DV/2 WET TANK DRAIN
		DV/2 IN ALL TANKS (NON-HEATED)
AIR LINES-MAIN, CHASSIS	SAE J844 NYLON TUBING	
	CT AND A DD	OPTIONAL
FUEL SYSTEM FUEL TANK-LEFT	STANDARD 50 GAL RECT STEEL TANK, LH MOUNTED	OPTIONAL 50 GAL ALUMINUM RECR TANK, LH MOUNTED
TOLL TANK-LLIT	30 OAL RECT STEEL TANK, EIT MOUNTED	75 GAL 26" DIA UNPAINTED ALUMINUM
		75 GAL 26" ROUND STEEL TANK
		TEMP. FUEL TANK
		ALTERNATE FUEL ENGINE-NO LH TANK
		DELETE LHS FUEL TANK
FUEL TANK-RIGHT	DELETE RHS FUEL TANK	50 GAL RECT STEEL TANK, RH MOUNTED
		50 GAL ALUMINUM RECT TANK, RH MOUNTED
		75 GAL 26" DIA UNPAINTED ALUMINUM
EVEL EN EED ENGDIE MOUNTEED	CDBLON ENGINE MOUNTED	75 GAL 26" DIA STEEL
FUEL FILTER ENGINE MOUNTED	SPIN-ON, ENGINE MOUNTED FLEETCHARD ES SERVES E (W. SERAR A TOR, PRODE & DASH LIGHT	NATURAL GAS FUEL CLEANER FLEETGUARD FS SERIES F / W HEATER, SEPARATOR, PROBE & DASH LIGHT
FUEL FILTER CHASSIS MOUNTED	FLEETGUARD FS SERIES F / W SEPARATOR, PROBE & DASH LIGHT	NO ADDITIONAL FUEL FILTER PROVIDED
FUEL LINES	SAE J844 NYLON TUBING	STAINLESS STEEL FOR CNG OR LNG
ALTERNATE FUEL STORAGE	NO BOC MOUNTED ALT FUEL STORAGE	CNG 60 DGE BOC CABINET SYSTEM - 4 TANKS, FMM MOUNTED BELOW ON LH
		CNG 75 DGE BOC CABINET SYSTEM - 5 TANKS, FMM MOUNTED BELOW ON LH
		CNG 75 DGE BOC CABINET SYSTEM - 3 TANKS, FMM MOUNTED BELOW ON LH
		CNG 60 DGE BOX CABINET SYSTEM - 4 TANKS/ INTEG FMM-HI PRESS PORT
		CNG 60 DGE BOX CABINET SYSTEM - 4 TANKS/ INTEG FMM-LOW PRESS PORT
WINES AND WHIPEY S	CTANDADD	OPTIONAL
TIRES AND WHEELS	STANDARD	OPTIONAL



		An ISO 9001:2000 Certified Company
	Autocar Expert MY 2017 Medium Duty 6X4 Class 8 Star	ndard and Optional Specifications
TIRE SIZE & LOAD RANGE - FRONT	11R22.5G	11R22.5H 12R22.5J 12R22.5H 275/70R22.5H 315/80R22.5L
FRONT WHEELS	22.5X8.25 STEEL, HP, 5HH	315/80R22.5M 22.5x8.25" ALUMINUM HP, 5.79" INSET, ALCOA #883677 LV1 FINISH 22.5X9.0 STEEL, HP, 5.25" INSET, 5HH, ACCURIDE #29039
REAR TIRES	11R22.5H	22.5x9.0" ALUMINUM HP, 5.96" INSET, ALCOA #894647 LV1 FINISH 11R22.5H 12R22.5H 275/70R22.5H
REAR WHEELS	22.5X8.25 STEEL, HP, 5HH	22.5x8.25" ALUMINUM HP, ACCURIDE #41644 22.5x8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5x9.00" ALUMINUM HP, ACCURIDE #29730 22.5x9.0 STEEL, HP, 5HH
ELECTRICAL SYSTEM	STANDARD	OPTIONAL
ELECTRICAL SYSTEM ALTERNATOR	12V, NEGATIVE GROUND DELCO REMY 12V 130AMP 22SI	DELCO REMY 36SI 12V 160 AMP DELCO REMY 160 AMP, 28SI PAD MTD W/REMOTE SENSE DELCO REMY 200 AMP, 28SI PAD MTD.
STARTER BATTERIES WINDSHIELD WIPERS BACKUP ALARM	DELCO REMY 12V 39 MT W/OCP 2 BATTERIES, 31 ECL, 12V, 1900CCA ELECTRIC INTERMITTENT WIPERS ECCO SMART ALARM SA917	ECCO RMS 917 WITH MOTION DETECTOR NO BACKUP ALARM PROVIDED
HORN HORN-AIR	SINGLE ELECTRIC NO AIR HORN PROVIDED	TWIN MOUNTED UNDER CAB
LIGHTING	STANDARD	OPTIONAL
HEADLAMPS LAMPS-RUNNING LAMPS-STOP-TAIL LAMPS-MARKER	RECTANGULAR SEALED BEAM NO DAYTIME RUNNING LIGHTS PROVIDED NO TAIL OR BACK-UP LAMPS PROVIDED AMBER LED ROOF MARKERS	LED HEADLAMPS DAYTIME DOT 4" INCANDESCENT TAIL (TURN/BRAKE/BACK-UP) LAMPS DOT 4" LED TAIL (TURN/BRAKE/BACK-UP) LAMPS CLEARANCE (ROOF CORNER) LAMPS WIRED TO BATTERY SHUT OFF
CAB AND EQUIPMENT	STANDARD	OPTIONAL
CAB SHELL	SINGLE LEFT HAND DRIVE CAB	DUAL DRIVE LH AND RH SIT SINGLE RIGHT HAND DRIVE CAB
CAB DOORS STEP-CAB ACCESS, CAB MOUNTED CAB FLOOR CAB DASH OVERHEAD CONSOLE CAB MOUNTING CAB TILT MECHANISM-C.O.E. MIRRORS-DUAL WEST COAST	STEEL DOORS W/DUAL POWER WINDOWS DUAL SELF CLEANING CAB ENTRANCE STEPS WEAR RESISTANT MAT WITH FOAM BACK DARK GREY WRAP-AROUND, 2X OVERSIZED CUP HOLDERS 2X STORAGE BINS, CENTER MOUNTED RADIO SLEEVE PROGRESSIVE RUBBER MOUNTS - FRONT COIL AND SHOCK ABS - REAR HYDRAULIC TILT WITH OUTO ENGAGE SAFETY LATCH MIRROR, BLACK, MOTORIZED/HTD POLYCARBONATE HOUSING W/SQUARE MOTORIZED/HTD CONVEX MIRROR	MIRROR, CHROME, HTD, REMOTE, W / LWR HTD CONVEX
MIRRORS-AUXILIARY DOWN VIEW MIRRORS	NO CONVEX AUX. MIRRORS PROVIDED NO DOWN VIEW MIRRORS PROVIDED	LOW MOUNT 8" CONVEX MIRROR BLACK POLYCARBONATE HOUSING SINGLE DOWN VIEW MIRROR, RH SIDE DUAL DOWN VIEW MIRRORS, ONE EACH SIDE
GRILLE	AUTOCAR GRILLE BLACK	CHROMED AUTOCAR GRILLE AUTOCAR GRILLE WITH REMOVABLE WINTERFRONT COVER AUTOCAR CHROME GRILLE WITH REMOVABLE WINTERFRONT COVER
CAB CLIMATE CONTROL SYSTEM	$44,\!000$ BTU FRESH AIR, HEATER AND AIR CONDITIONER, DIGITAL CLIMATE CONTROL	
STEERING COLUMN	ADJ. TILT AND TELESCOPIC STEERING COLUMN	DUAL ADJ. TILT AND TELESCOPIC STEERING COLUMNS

AUTOCAR ACMD®



		An 150 9001.2000 Cerunied Company
	Autocar Expert MY 2017 Medium Duty 6X4 Class 8 S	tandard and Optional Specifications
STEERING WHEEL	SINGLE DRIVE 16 INCH DIAMETER	SINGLE DRIVE 18 INCH DIAMETER
STEEKING WIEDE	DI (DIS SIGNE) I O II (GII SIGNISI SIGNI	DUAL DRIVE 16 INCH DIAMETER
		DUAL DRIVE 18 INCH DIAMETER
SEAT-DRIVER	STANDARD MECHANICAL SUSPENSION SEAT WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE
SEAT-DRIVER	STANDARD MECHANICAL SOSI ENSION SEAT WITH ADJ. DAMI ENER	ISRI HT914 HIGH BACK, AIR RIDE W/ RH ARM REST AND LUMBAR
CEAT DACCENCED	CTANDADD MECHANICAL CUCDENCION CEAT WITH ADL DAMDENED	
SEAT-PASSENGER	STANDARD MECHANICAL SUSPENSION SEAT WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE
ADDITIONAL CEAT DAGGENGED	NO THIRD MAN CEAT AND LAR DELT PROVIDED	ISRI HT914 HIGH BACK, AIR RIDE W/ LH ARM REST AND LUMBAR
ADDITIONAL SEAT - PASSENGER	NO THIRD MAN SEAT AND LAP BELT PROVIDED	THIRD MAN SEAT AND LAP BELT - CENTER MOUNTED
SEAT COVERING	BLACK CONDURA PLUS® CLOTH FABRIC	THE FOREST PARTY A CITARY EXPLORES ON A VICE COLOR
SEAT BELT	THREE POINT RETRACTABLE	THREE POINT RETRACTABLE BRIGHT ORANGE COLOR
avny vya ona	A FIRM A VID DAGAME OF F	3RD MAN SEAT AND LAP BELT -CENTER MOUNTED
SUN VISORS	LEFT AND RIGHT SIDE	AMENIA CONTROL DOCUMENTO
RADIO	RADIO PREP IN OVERHEAD CONSOLE	AM/FM / CD STEREO, ROOF MTD
		AM/FM/WB/MP3/CD/USB/BLUETOOTH
POWER PORT	12V AND DASH MOUNTED CIGAR LIGHTER	
ADDITIONAL ELEC. SWITCHES	NO ADDITIONAL ELEC. SWITCHES	2 DASH SWITCHES, WIRED TO POWER
LAMPS-CAB INTERIOR	LED DOME LAMPS	FLEX MAP
KEY & LOCK SETS-IGN/DOORS	2 ADDITIONAL KEYS PER TRUCK (4 TOTAL)	4 ADDITIONAL KEYS PER TRUCK (6 TOTAL)
		KEYED ALIKE FLEET SET #1 (23112213)
DRIVER MONITORING SYSTEM	NO DRIVER CAM WIRING PREP OVERHEAD CONSOLE	DRIVER CAM WIRING PREP OVERHEAD CONSOLE
CAMERAS	NO CAMERAS OR PREP PROVIDED	3RD EYE CAMERA PREP (CAB ONLY)
TRUCK ELECTRICAL CONTROL MODULE	NO ELECTRONIC CONTROL MODULE	DIAGNOSTIC AND INFORMATION DISPLAY
PAINT	STANDARD	OPTIONAL
CAB PAINT TYPE	STANDARD WHITE	CAB FIRST COLOR OTHER THAN STD, NON METALLIC
		CAB FIRST COLOR, METALLIC
CHASSIS COLOR	BLACK P3036	CHASSIS COLOR OTHER THAN STD SPECIFY
BUMPER COLOR	BUMPER COLOR SAME AS CAB WHITE	PAINT SAME AS CAB, STEEL
		BUMPER COLOR SAME AS CHASSIS
DISC WHEEL OR RIM COLOR	STEEL, E-COAT WHITE / ALUM-UNPAINTED	CUSTOM COLOR - SPECIFY (PRICE PER WHEEL)
		STEEL, E-COAT GREY/ ALUM-UNPAINTED
DACICAWA DDANWIEC (INDUCEDA) DECEN	CITANDA DO	OPTIONAL
BASIC WARRANTIES (INDUSTRY BEST) CHASSIS WARRANTY	STANDARD STANDARD WARRANTY	OPTIONAL EXT WARRANTY - 2 YEARS / 200K MILES
CHASSIS WARRANTT	STANDARD WARRANTT	
		EXT WARRANTY - 3 YEARS / 300K MILES
		EXT WARRANTY - 4 YEARS / 350K MILES
		EXT WARRANTY - 5 YEARS / 400K MILES
ENGINE WARRANTY	CUMMINS STANDARD WARRANTY (2 YRS -ISL, 3 YRS ISB)	2017 ISL HD1 3YRS/100K MILES EXT WARRANTY PP1 MATRIX #231156
		2017 ISL HD1 3YRS/150K MILES EXT WARRANTY PP1 MATRIX #231156
		2017 ISL HD1 4YRS/200K MILES EXT WARRANTY PP1 MATRIX #231156
		2017 ISL HD1 5YRS/250K MILES EXT WARRANTY PP1 MATRIX #231156
		2013 ISL HD1 5YRS/300K MILES EXT WARRANTY PP1 MATRIX #231156
		2015 ISL-G GT1 5YRS/200K MILES EXT WARRANTY PP1
		2015 ISL-G GT1 5YRS/150K MILES EXT WARRANTY PP1
CUMMINS AFTERTREATMENT	NO EXTENDED AFTERTEATMENT WARRANTY (2 YRS -ISL, 3 YRS ISB)	2017 ISL AT3 AFTERTREATMENT 3YRS/100K MILES EXT WARRANTY MATRIX #231445
		2017 ISL AT3 AFTERTREATMENT 3YRS/150K MILES EXT WARRANTY MATRIX #231445
		2017 ISL AT3 AFTERTREATMENT 4YRS/200K MILES EXT WARRANTY MATRIX #231445
		2017 ISL AT3 AFTERTREATMENT 5YRS/250K MILES EXT WARRANTY MATRIX #231445
		2017 ISL AT3 AFTERTREATMENT 5YRS/300K MILES EXT WARRANTY MATRIX #231445
TRANSMISSION WARRANTY	ALLISON 3YR. EDGE WARRANTY	ALLISON 5YR. EDGE WARRANTY
VEHICLE RATINGS	STANDARD	OPTIONAL
VEHICLE TARE WEIGHT, FRONT	8,400 lbs.	
VEHICLE TARE WEIGHT, REAR	4,348 lbs.	
GAWF	12000 LBS	13000 LBS
		14000 LBS
		16000 LBS
GAWR	40000 LBS	

AUTOCAR ACMD®



Autocar Expert MY 2017 Medium Duty 6X4 Class 8 Standard and Optional Specifications

52000 LBS 53000 LBS 54000 LBS

56000 LBS

VOCATION

GVWR

APPLICATIONS CONCRETE PUMPER, ASPHALT DISTRIBUTOR, SWEEPER, ROAD PATCHER, REFUSE, CITY DELIVERY/BOX TRUCK, PAINT STRIPER, GEN UTILITY, ETC

BODY CAPACITY 5,6,7,8,9,10,11,12,13,14,16,20,22,24,25 YARD

CAB INSTRUMENTATION CAB WARNING DEVICES

SPEEDOMETER PARK BRAKE TACHOMETER HIGH BEAM ENGINE OIL PRESSURE TURN SIGNAL COOLANT TEMPERATURE LOW FUEL TRANSMISSION OIL TEMPERATURE LOW AIR VOLTMETER SEAT BELT DPF FUEL LEVEL HOUR METER HEST

DEF LEVEL AIR RESTRICTION INDICATOR

PRIMARY (A) AIR PRESSURE FILTER WITH WATER IN FUEL INDICATOR

SECONDARY (B) AIR PRESSURE

ODOMETER TRIPMETER

OPERATORS CONTROLS OPTIONAL EQUIPMENT

PARK BRAKE PUSH/PULL FIRE EXTINGUISHER DRY TYPE ABC 5LB. CAP MTD. IN CAB

HEADLAMPS TRIANGLE FLARE KIT IN CAB
TURN SIGNAL COLUMN MOUNTED ADDITIONAL INSTRUMENTATION

BRAKE PEDAL AUTO NEUTRAL
ACCELERATOR PEDAL EXHAUST BRAKE

TRANSMISSION GEAR SELLECTOR PUSH BUTTON

METHANE DETECTION SYSTEM

BATTERY SHUTOFF SWITCH WITH EMERGENCY JUMPER STUDS

PTO CONTROL SWITCH DAYTIME RUNNING LAMPS

DRIVER CAM WIRING PREP OVERHEAD CONSOLE

3RD EYE CAMERA PREP (CAB ONLY) DIAGNOSTIC AND INFORMATION DISPLAY