FRONT HUBS



Autocar Expert MY 2019 Medium Duty 4X2 Class 7 Standard and Optional Specifications				
NOINE AND EQUIDMENT	· · · · · · · · · · · · · · · · · · ·	OPTIONAL		
NGINE AND EQUIPMENT NGINE MODEL	STANDARD ISB '17, 200 HP / 2600RPM / 520 FT-LB, CUMMINS	ISB '17, 220 HP / 2600RPM / 520 FT-LB, CUMMINS		
TOINE MODEL	ISB 17, 200 HF / 2000KFM / 320 F1-LB, CUMMINS	ISB 17, 220 HF / 2000RFM / 320 F1-LB, CUMMINS ISB 17, 240 HP / 2600RPM / 560 FT-LB, CUMMINS		
		ISB '17, 260 HP / 2600RPM / 660 FT-LB, CUMMINS		
		L9N '18 250 HP @ 730 FT-LB		
		L9N '18 260 HP @ 660 FT-LB		
		L9N '18 300 HP @ 860 FT-LB		
		L9 '17, 260 HP / 2200RPM / 720 FT-LB, CUMMINS		
		L9 '17, 270 HP / 2200RPM / 800 FT-LB, CUMMINS		
		L9 '17, 300 HP / 2200RPM / 860 LB-FT, CUMMINS		
		L9 '17, 330 HP / 2200RPM / 1000 LB-FT, CUMMINS		
		L9 '17, 350 HP / 2200RPM / 1000 FT-LB, CUMMINS		
		L9 '17, 350 Hi HP / 2200RPM / 1150 FT-LB, CUMMINS		
XHAUST (DIESEL)	LH VERTICAL SMA	RH HORIZONTAL SMA		
KHAUST (GAS)		RH HOR CATALYST		
EMINOSI (GNS)		LH VERTICAL CATALYST		
EF TANK	RH FRAME MTD 5 GAL. CAPACITY	LH FRAME MTD 5 GAL. CAPACITY		
LITANK	KITT KAME WITD 3 GAE. CALACITT	LH FRAME MTD 10 GAL, CAPACITY		
		RH FRAME MTD 10 GAL. CAPACITY		
ID CLEANED	101 ONE CEL CE	NO DEF TANK PROVIDED		
IR CLEANER	13" ONE STAGE	13" ONE STAGE WITH SAFETY ELEMENT		
ADIATOR	1000 SQ. IN. 3 ROW HIGH CAPACITY, COPPER / BRASS	1000 SQ. IN. ALUMINUM		
ADIATOR SHELL/HOOD BEZEL	NO RADIATOR GUARD	RADIATOR GUARD		
AN & DRIVE	FAN CLUTCH, VISCOUS	2-SPEED FAN		
OOLANT HOSES/PIPING	SILICONE HOSES WITH STEEL TUBING			
OOLANT	EXTENDED LIFE COOLANT			
NGINE BLOCK HEATER	NO ENGINE BLOCK HEATER PROVIDED	PHILLIPS 120V 1000 WATT		
EATER RECEPTICAL LOCATION	NO BLOCK HEATER RECEPT. PROVIDED	RECEPTACLE LOCATED AT CAB STEPS, RH SIDE		
		RECEPTACLE LOCATED AT CAB STEPS, LH SIDE		
TARTING AID-GLOW PLUG	NO ELECTRIC STARTING AID PROVIDED	GRID HEATER		
HEATER-ENGINE OIL PAN	NO OIL PAN HEATER PROVIDED	ZERO-START,120V-150W, OIL PAN HEATER		
NGINE IDLE SHUT DOWN	ENGINE IDLE SHUT DOWN ENABLED (5 MINUTES)	ENGINE IDLE SHUT DOWN DISABLED		
TRANSMISSION AND EQUIPMENT	STANDARD	OPTIONAL		
RANSMISSION MODEL	ALLISON 2500-SERIES, 6-SPEED	ALLISON 3000 SERIES,6-SPEED		
WINDINGSTON MODEL	TEESS OF 2500 SERIES, O STEED	ALLISON 3500 SERIES,6-SPEED		
RANSMISSION GEARING	6-SPEED	ALLIGOT 5500 BLAILS, O SI ELE		
RANSMISSION CEARING	ARENS PUSH BUTTON CONTROLS	ALLISON PUSHBUTTON CONTROLS		
OOLER-TRANSMISSION OIL	OIL TO WATER TYPE	REMOTE MOUNTED TOC		
RANSMISSION LUBRICANT	TRANSYND SYNTHETIC AUTO TRANS FLUID			
RIVESHAFT-MAIN	DANA SPICER 1710HD HALF ROUND			
RANSMISSION SUPPORTS	NO TRANSMISSION SUPPORTS PROVIDED	TRANSMISSION REAR SUPPORT		
ΓO-TRANSMISSION MOUNTED	NO TRANSMISSION MOUNTED PTO PROVIDED	PTO PREP - 2500 TRANSMISSION W/ REAR SUPPORT		
		PTO PREP - 3000/3500 TRANSMISSION W/ REAR SUPPORT		
		PTO - MUNCIE CS6B-A6705-S1SS LH 2500 TRANSMISSION, LH MOUNTED		
		PTO - MUNCIE CS24-A1010-H3BX RH 3000/3500 TRANSMISSION, RH MOUNTED		
RONT AXLE AND EQUIPMENT	STANDARD	OPTIONAL		
XLE MODEL	DANA 1202W STEER AXLE, 12000 LB CAPACITY			
RONT SUSPENSION	5500 LB FLATLEAF 12,500 GROUND CAPACITY			
HOCK ABSORBERS	DOUBLE ACTING SINGLE - HEAVY DUTY			
	INTEGRAL POWER STEERING W/O ASSIST RAM TAS65	DUAL INTEGRAL POWER STEERING TAS65		
OWER STEERING DESERVOIR		DUAL INTEGRAL FOWER STEERING 1A303		
OWER STEERING RESERVOIR	2 QUART REMOTE MOUNTED	ADG AGANAMADA GANDA ATG		
BS	ABS 4S/4M W/PLC	ABS 4S/4M W/PLC AND ATC		
RAKES-FOUNDATION, FRONT AXLE	MERITOR 15X4 Q PLUS	MERITOR 16.5X5 QP		
RAKE DRUM-FRONT	CAST IRON			
RAKE SLACK ADJUSTERS-FRONT AXLE	MERITOR AUTOMATIC			
FRONT HURS	STEEL HUD DILOTED 285MM BOLT CIDCLE			

STEEL HUB PILOTED,285MM BOLT CIRCLE



Autocar Expert MY 2019 Medium Duty 4X2 Class 7 Standard and Optional Specifications

REAR AXLE AND EQUIPMENT	STANDARD	OPTIONAL
AXLE MODEL	MERITOR RS24-160, SINGLE REDUCTION AXLE (6.14 : 1 RATIO)	DANA SPICER 21060S 21,000 LB CAPACITY (6.17 or 7.17 : 1 RATIO) DANA SPICER S21 - 170E SINGLE SPEED 21,000 LBS (6.17 or 7.17 : 1 RATIO)
DEAD CHEDENCION	HENDRICKSON HTS 21.000 LBS	DANA SPICER 21065T TWO SPEED 21,000 LBS (6.17/8.42 or 7.17/9.77 : 1 RATIO) HAS - 210 AIR RIDE SUSPENSION
REAR SUSPENSION SHOCK ABSORBERS	2 SHOCK ABSORBERS	FOR AIR SUSPENSION - INBOARD MOUNTED
		FOR AIR SUSPENSION - OUTBOARD MOUNTED
ABS	ABS 4S/4M W/PLC	NO SHOCK ABSORBERS REAR SUSP. PROVIDED ABS 4S/4M W/PLC AND ATC
BRAKES	MERITOR 15X4 Q PLUS	MERITOR 16.5X5 QP
BRAKE DRUMS	CAST IRON	·
BRAKE SLACK ADJUSTERS-REAR AXLE REAR HUBS	ARVIN MERITOR AUTOMATIC-SINGLE AXLE IRON HUB, HP 10 STUD	
REAR HUBS	IRON HOB, HF 10 S1 OD	
CHASSIS AND EQUIPMENT	STANDARD	OPTIONAL
WHEELBASE	164 INCHES	132, 135, 136, 138, 141, 144, 147, 149 INCHES 151, 152, 155, 157, 158, 161, 167, 170, 171, 174, 178 INCHES
		181, 184, 186, 190, 193, 196 INCHES
		200, 203, 206, 209, 212, 215, 218, 220, 221, 222, 227, 234, 247 INCHES
FRAME	10" X 3" X 3/8" 120KSI STRAIGHT RAIL SECTION - 2.13M RBM	RANGE BY REQUEST
FRAME REINFORCEMENT INNER	NO INNER FRAME REINFORCEMENT PROVIDED	.25" LINER, STANDARD LENGTH
FRAME FASTENERS	HUCK BOLTS	FASTENERS AVAILABLE BY REQUEST FOR BODY MOUNTING
BUMPER	STANDARD DUTY BUMPER	HEAVY DUTY
TOW DEVICE(S) AIR TANK-BRAKE	TWO TOW HOOKS INTEGRAL W/X-MEMBER STEEL TANKS FOR SINGLE AXLE	
AIR TANK MOUNTING	AS MANY TANKS IN RAIL AS POSSIBLE	
DEFENDANT CONTROL (DANS TWAN)	CTLANDAD	ODWYON LY
PNEUMATIC SYSTEM (RAPID FILL) AIR COMPRESSOR	STANDARD CUMMINS WABCO 18.7 CFM COMPRESSOR	OPTIONAL
AIR SYSTEM DRAIN VALVE	PULL CORDS ALL TANKS	PULL CORDS WITH DV/2 WET TANK DRAIN
		PULL CORDS WITH HEATED DV/2 WET TANK DRAIN
		CENTRAL DRAIN MANIFOLD WITH DV/2 WET TANK DRAIN CENTRAL DRAIN MANIFOLD WITH HEATED DV/2 WET TANK DRAIN
		DV/2 IN ALL TANKS (NON-HEATED)
AIR LINES-MAIN, CHASSIS	SAE J844 NYLON TUBING	
FUEL SYSTEM	STANDARD	OPTIONAL
FUEL TANK-LEFT	TEMP. FUEL TANK	50 GAL RECT STEEL TANK, LH MOUNTED
		50 GAL ALUMINUM RECR TANK, LH MOUNTED 75 GAL 26" DIA UNPAINTED ALUMINUM
		75 GAL 26" ROUND STEEL TANK
		100 GAL 26" DIA UNPAINTED ALUM
		100 GAL 26" DIA STEEL
		ALTERNATE FUEL ENGINE-NO LH TANK DELETE LHS FUEL TANK
FUEL TANK-RIGHT	DELETE RHS FUEL TANK	50 GAL RECT STEEL TANK, RH MOUNTED
		50 GAL ALUMINUM RECT TANK, RH MOUNTED
		75 GAL 26" DIA UNPAINTED ALUMINUM 75 GAL 26" DIA STEEL
		100 GAL 26" DIA UNPAINTED ALUM
		100 GAL 26" DIA STEEL
FUEL FILTER ENGINE MOUNTED	SPIN-ON, ENGINE MOUNTED	NATURAL GAS FUEL CLEANER
FUEL FILTER CHASSIS MOUNTED	FLEETGUARD FS SERIES F / W SEPARATOR, PROBE & DASH LIGHT	FLEETGUARD FS SERIES F / W HEATER, SEPARATOR, PROBE & DASH LIGHT NO ADDITIONAL FUEL FILTER PROVIDED
FUEL LINES	SAE J844 NYLON TUBING	STAINLESS STEEL FOR CNG OR LNG
ALTERNATE FUEL STORAGE	NO BOC MOUNTED ALT FUEL STORAGE	CNG 60 DGE BOC CABINET SYSTEM - 4 TANKS, FMM MOUNTED BELOW ON LH

MIRRORS-AUXILIARY

DOWN VIEW MIRRORS



Autocar Expert MY 2019 Medium Duty 4X2 Class 7 Standard and Optional Specifications

CNG 75 DGE BOC CABINET SYSTEM - 5 TANKS, FMM MOUNTED BELOW ON LH CNG 75 DGE BOC CABINET SYSTEM - 3 TANKS, FMM MOUNTED BELOW ON LH CNG 60 DGE BOX CABINET SYSTEM - 4 TANKS/ INTEG FMM-HI PRESS PORT CNG 60 DGE BOX CABINET SYSTEM - 4 TANKS/ INTEG FMM-LOW PRESS PORT

MIRROR, CHROME, HTD, REMOTE, W / LWR HTD CONVEX

SINGLE DOWN VIEW MIRROR, RH SIDE DUAL DOWN VIEW MIRRORS, ONE EACH SIDE

LOW MOUNT 8" CONVEX MIRROR BLACK POLYCARBONATE HOUSING

TIRES AND WHEELS STANDARD OPTIONAL TIRE SIZE & LOAD RANGE - FRONT 11R22.5G 11R22.5H 12R22.5H 12R22.5H 12R22.5H 27570R22.5J 27570R22.5J FRONT WHEELS 22.5x8.25 STEEL HP, 6.18" INSET, 5HH 22.5x8.25" ALUMINUM HP, 5.09" INSET, ALCOA #883677 LV1 FINISH REAR TIRES 11R22.5G 11R22.5H REAR TIRES 11R22.5G 11R22.5H REAR WHEELS 22.5x8.25 STEEL, HP, 5HH 22.5x8.25 ALUMINUM HP, 5.96" INSET, ALCOA #89U64 REAR WHEELS 22.5x8.25 STEEL, HP, 5HH 22.5x8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x8.25 ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUM
TIRE SIZE & LOAD RANGE - FRONT 11R22.5G 11R22.5H 12R22.51 FRONT WHEELS 22.5x8.25 STEEL HP, 6.18" INSET, 5HH 22.5x8.25" ALUMINUM HP, 5.79" INSET, ALCOA #883677 LV1 FINISH 22.5x9.00" ALUMINUM HP, 6.02" INSET, ACCURIDE (WEIGHT REDUCTION) 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89064 REAR TIRES 11R22.5G 11R22.5H 22.5X9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89064 11R22.5H 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89064 11R22.5H 275/70R22.51 275/70R22.5H 455/55R22.5M REAR WHEELS 22.5x8.25 STEEL, HP, 5HH 22.5x8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5x9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5x9" ALUMINUM HP, 5.96" INSET, ALCOA #89064 22.5X14" ALUMINUM HP, 5.96" INSET, ALCOA #89164 22.5X14" ALUMINUM HP, 5.96" INSET,
12R22.5H 275/70R22.5J 22.5x8.25 STEEL HP, 6.18" INSET, 5HH 275/70R22.5J 22.5x8.25 STEEL HP, 6.18" INSET, 5HH 22.5x9.00" ALUMINUM HP, 5.79" INSET, ACCURIDE (WEIGHT REDUCTION) 22.5x9.00" ALUMINUM HP, 6.02" INSET, ACCURIDE (WEIGHT REDUCTION) 22.5x9.00" ALUMINUM HP, 5.96" INSET, ACCURIDE (WEIGHT REDUCTION) 22.5x9.00" ALUMINUM HP, 5.96" INSET, ACCURIDE (WEIGHT REDUCTION) 22.5x9.00" ALUMINUM HP, 5.96" INSET, ACCOA #89U64 275/70R22.5J 275/70R22.5J 275/70R22.5J 275/70R22.5J 275/70R22.5H 22.5x8.25 STEEL, HP, 5HH 22.5x9.00" ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5x9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5x9" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x14" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5x9" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5x14" ALUMINUM HP, ALCOA #840608 LV1 FINISH 22.5x14" ALUMINUM HP
FRONT WHEELS 22.5x8.25 STEEL HP, 6.18" INSET, 5HH 22.5x8.25" ALUMINUM HP, 5.79" INSET, ALCOA #883677 LV1 FINISH 22.5x9.0" ALUMINUM HP, 6.02" INSET, ACCURIDE (WEIGHT REDUCTION) 22.5x9.0" STEEL HP, 6.38" INSET, 5HH 22.5x9.0" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 REAR TIRES 11R22.5G 11R22.5G 11R22.5H 2757/0R22.5J 2757/0R22.5J 2757/0R22.5J 2757/0R22.5H 455/5SR22.5M REAR WHEELS 22.5x8.25 STEEL, HP, 5HH 22.5x8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5x9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5x9.00" ALUMINUM HP, ACCOA #89U64 22.5x14" ALUMINUM HP, ACCOA #840608 LV1 FINISH ELECTRICAL SYSTEM 12V, NEGATIVE GROUND ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
FRONT WHEELS 22.5x8.25 STEEL HP, 6.18" INSET, 5HH 22.5x9.00" ALUMINUM HP, 5.79" INSET, ALCOA #883677 LV1 FINISH 22.5x9.00" ALUMINUM HP, 6.38" INSET, 5HH 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89064 REAR TIRES 11R22.5G 11R22.5G 11R22.5H 275/70R22.5H 275/70R22.5H 455/55R22.5M REAR WHEELS 22.5x8.25 STEEL, HP, 5HH 22.5x8.25 STEEL, HP, 5HH 22.5x9.00" ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5x9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5x9.00" ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5x9.00" ALUMINUM HP, ALCOA #88067 LV1 FINISH 22.5x9.00" ALUMINUM HP, ALCOA #88068 LV1 FINISH ELECTRICAL SYSTEM ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
22.5X9.00" ALUMINUM HP, 6.02" INSET, ACCURIDE (WEIGHT REDUCTION) 22.5x9.0" STEEL HP, 6.38" INSET, 5HH 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64
22.5x9.0" STEEL HP, 6.38" INSET, 5HH 22.5x9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64
22.5X9.00" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 REAR TIRES
REAR TIRES 11R22.5G 275/70R22.5J 275/70R22.5H 455/55R22.5M REAR WHEELS 22.5X8.25 STEEL, HP, 5HH 22.5X8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5X9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5X9" ALUMINUM HP, 5.96" INSET, ALCOA #89064 22.5X14" ALUMINUM HP, ALCOA #840608 LV1 FINISH ELECTRICAL SYSTEM ELECTRICAL SYSTEM 12V, NEGATIVE GROUND ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
275/70R22.5J 275/70R22.5H 455/55R22.5M REAR WHEELS 22.5X8.25 STEEL, HP, 5HH 22.5X8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5X9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5X9" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5X14" ALUMINUM HP, ALCOA #840608 LV1 FINISH ELECTRICAL SYSTEM
REAR WHEELS 22.5X8.25 STEEL, HP, 5HH 22.5X8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5X9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5X9" ALUMINUM HP, 5.96" INSET, ALCOA #89064 22.5X14" ALUMINUM HP, ALCOA #840608 LV1 FINISH ELECTRICAL SYSTEM 5TANDARD OPTIONAL ELECTRICAL SYSTEM 12V, NEGATIVE GROUND ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
REAR WHEELS 22.5X8.25 STEEL, HP, 5HH 22.5X8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5X9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5X9" ALUMINUM HP, 5.96" INSET, ALCOA #89064 22.5X14" ALUMINUM HP, ALCOA #840608 LV1 FINISH ELECTRICAL SYSTEM 5TANDARD OPTIONAL ELECTRICAL SYSTEM 12V, NEGATIVE GROUND ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
REAR WHEELS 22.5X8.25 STEEL, HP, 5HH 22.5X8.25 ALUMINUM HP, ALCOA #883677 LV1 FINISH 22.5X9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5X9" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5X14" ALUMINUM HP, ALCOA #840608 LV1 FINISH ELECTRICAL SYSTEM 5TANDARD OPTIONAL ELECTRICAL SYSTEM 12V, NEGATIVE GROUND ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
22.5X9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5X9" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5X14" ALUMINUM HP, ALCOA #840608 LV1 FINISH ELECTRICAL SYSTEM STANDARD OPTIONAL ELECTRICAL SYSTEM 12V, NEGATIVE GROUND ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
22.5X9.00" ALUMINUM HP, ACCURIDE (WEIGHT REDUCTION) 22.5X9" ALUMINUM HP, 5.96" INSET, ALCOA #89U64 22.5X14" ALUMINUM HP, ALCOA #840608 LV1 FINISH ELECTRICAL SYSTEM STANDARD OPTIONAL ELECTRICAL SYSTEM 12V, NEGATIVE GROUND ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
ELECTRICAL SYSTEM STANDARD OPTIONAL ELECTRICAL SYSTEM 12V, NEGATIVE GROUND ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
ELECTRICAL SYSTEM STANDARD OPTIONAL ELECTRICAL SYSTEM 12V, NEGATIVE GROUND ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
ELECTRICAL SYSTEMSTANDARDOPTIONALELECTRICAL SYSTEM12V, NEGATIVE GROUNDALTERNATORDELCO REMY 12V 130AMP 22SIDELCO REMY 36SI 12V 160 AMP
ELECTRICAL SYSTEM 12V, NEGATIVE GROUND ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
ALTERNATOR DELCO REMY 12V 130AMP 22SI DELCO REMY 36SI 12V 160 AMP
DELCO REMY 160 AMP, 28SI PAD MTD W/REMOTE SENSE
DELCO REMY 200 AMP, 28SI PAD MTD.
STARTER DENSO 12V STARTER W/OCP DELCO REMY 12V 39 MT W/OCP
BATTERIES 2 BATTERIES, 12V, 1500CCA 2 BATTERIES, 31 ECL, 12V, 1900CCA
2 BATTERIES, 31 ECL, 12V, 2000CCA
WINDSHIELD WIPERS ELECTRIC INTERMITTENT WIPERS
BACKUP ALARM ECCO SMART ALARM SA917 ECCO RMS 917 WITH MOTION DETECTOR
NO BACKUP ALARM PROVIDED
HORN SINGLE ELECTRIC
HORN-AIR NO AIR HORN PROVIDED TWIN MOUNTED UNDER CAB
LIGHTING STANDARD OPTIONAL
HEADLAMPS RECTANGULAR SEALED BEAM LED HEADLAMPS
LAMPS-RUNNING NO DAYTIME RUNNING LIGHTS PROVIDED DAYTIME
LAMPS-STOP-TAIL NO TAIL OR BACK-UP LAMPS PROVIDED DOT 4" INCANDESCENT TAIL (TURN/BRAKE/BACK-UP) LAMPS
DOT 4" LED TAIL (TURN/BRAKE/BACK-UP) LAMPS
LAMPS-MARKER AMBER LED ROOF MARKERS CLEARANCE (ROOF CORNER) LAMPS WIRED TO BATTERY SHUT OFF
CAB AND EQUIPMENT STANDARD OPTIONAL
CAB SHELL SINGLE LEFT HAND DRIVE CAB DUAL DRIVE LH AND RH SIT
SINGLE RIGHT HAND DRIVE CAB
CAB DOORS STEEL DOORS W/DUAL POWER WINDOWS
STEP-CAB ACCESS, CAB MOUNTED DUAL SELF CLEANING CAB ENTRANCE STEPS
CAB FLOOR WEAR RESISTANT MAT WITH FOAM BACK
CAB DASH DARK GREY WRAP-AROUND, 2X OVERSIZED CUP HOLDERS
OVERHEAD CONSOLE 2X STORAGE BINS, CENTER MOUNTED RADIO SLEEVE
ALD LOVE WITH A CONTRACT OF THE CONTRACT OF TH
CAB MOUNTING PROGRESSIVE RUBBER MOUNTS - FRONT COIL AND SHOCK ABS - REAR
CAB MOUNTING PROGRESSIVE RUBBER MOUNTS - FRONT COIL AND SHOCK ABS - REAR CAB TILT MECHANISM-C.O.E. HYDRAULIC TILT WITH OUTO ENGAGE SAFETY LATCH

MOTORIZED/HTD CONVEX MIRROR

NO CONVEX AUX. MIRRORS PROVIDED

NO DOWN VIEW MIRRORS PROVIDED



Autocar Expert MY 2019 Medium Duty 4X2 Class 7 Standard and Optional Specifications			
GRILLE	AUTOCAR GRILLE BLACK	CHROMED AUTOCAR GRILLE	
		AUTOCAR GRILLE WITH REMOVABLE WINTERFRONT COVER	
		AUTOCAR CHROME GRILLE WITH REMOVABLE WINTERFRONT COVER	
CAB CLIMATE CONTROL SYSTEM	44,000 BTU FRESH AIR, HEATER AND AIR CONDITIONER, DIGITAL CLIMATE CONTROL		
TEERING COLUMN	ADJ. TILT AND TELESCOPIC STEERING COLUMN	DUAL ADJ. TILT AND TELESCOPIC STEERING COLUMNS	
TEERING WHEEL	SINGLE DRIVE 16 INCH DIAMETER	SINGLE DRIVE 18 INCH DIAMETER	
		DUAL DRIVE 16 INCH DIAMETER	
		DUAL DRIVE 18 INCH DIAMETER	
EAT-DRIVER	STANDARD MECHANICAL SUSPENSION SEAT WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE	
		ISRI HT914 HIGH BACK, AIR RIDE W/ RH ARM REST AND LUMBAR	
SEAT-PASSENGER	STANDARD MECHANICAL SUSPENSION SEAT WITH ADJ. DAMPENER	ISRI HT914 HIGH BACK, AIR RIDE	
		ISRI HT914 HIGH BACK, AIR RIDE W/ LH ARM REST AND LUMBAR	
ADDITIONAL SEAT - PASSENGER	NO THIRD MAN SEAT AND LAP BELT PROVIDED	THIRD MAN SEAT AND LAP BELT - CENTER MOUNTED	
SEAT COVERING	BLACK CONDURA PLUS® CLOTH FABRIC		
SEAT BELT	THREE POINT RETRACTABLE	THREE POINT RETRACTABLE BRIGHT ORANGE COLOR	
		3RD MAN SEAT AND LAP BELT -CENTER MOUNTED	
SUN VISORS	LEFT AND RIGHT SIDE		
RADIO	RADIO PREP IN OVERHEAD CONSOLE	AM/FM / CD STEREO, ROOF MTD	
		AM/FM/WB/MP3/CD/USB/BLUETOOTH	
POWER PORT	12V AND DASH MOUNTED CIGAR LIGHTER		
ADDITIONAL ELEC. SWITCHES	NO ADDITIONAL ELEC. SWITCHES	2 DASH SWITCHES, WIRED TO POWER	
LAMPS-CAB INTERIOR	LED DOME LAMPS	FLEX MAP	
KEY & LOCK SETS-IGN/DOORS	2 ADDITIONAL KEYS PER TRUCK (4 TOTAL)	4 ADDITIONAL KEYS PER TRUCK (6 TOTAL)	
		KEYED ALIKE FLEET SET #1 (23112213)	
DRIVER MONITORING SYSTEM	NO DRIVER CAM WIRING PREP OVERHEAD CONSOLE	DRIVER CAM WIRING PREP OVERHEAD CONSOLE	
CAMERAS	NO CAMERAS OR PREP PROVIDED	3RD EYE CAMERA PREP (CAB ONLY)	
TRUCK ELECTRICAL CONTROL MODULE	NO ELECTRONIC CONTROL MODULE	DIAGNOSTIC AND INFORMATION DISPLAY	
TIRE PRESSURE MONITORING SYSTEM	NO TIRE PRESSURE MONITORING SYSTEM	TIRE PRESSURE MONITORING SYSTEM	
VEHICLE MONITORING SYSTEM	NO GEOTAB TRUCK MONITOR OR PREP	GEOTAB TRUCK MONITOR PREP	
		GEOTAB TRUCK MONITOR	
PAINT	STANDARD	OPTIONAL	
CAB PAINT TYPE	STANDARD WHITE	CAB FIRST COLOR OTHER THAN STD, NON METALLIC	
		CAB FIRST COLOR, METALLIC	
CHASSIS COLOR	BLACK P3036	CHASSIS COLOR OTHER THAN STD SPECIFY	
BUMPER COLOR	BUMPER COLOR SAME AS CAB WHITE	PAINT SAME AS CAB, STEEL	
		BUMPER COLOR SAME AS CHASSIS	
DISC WHEEL OR RIM COLOR	STEEL, E-COAT WHITE / ALUM-UNPAINTED	CUSTOM COLOR - SPECIFY (PRICE PER WHEEL)	
		STEEL, E-COAT GREY/ ALUM-UNPAINTED	
AXLE WHEELEND COLOR	SAME AS CHASSIS		
FUEL CABINET PAINT TYPE	NO CABINET PAINT COLOR	CABINET COLOR, METALLIC	
		CABINET COLOR OTHER THAN STANDARD, NON METALLIC	
		STANDARD WHITE	
BASIC WARRANTIES (INDUSTRY BEST)		OPTIONAL	
CHASSIS WARRANTY	STANDARD WARRANTY	EXTENDED WARRANTY - 2 YEARS / 200K MILES	
		EXTENDED WARRANTY - 3 YEARS / 300K MILES	
		EXTENDED WARRANTY - 4 YEARS / 350K MILES	
		EXTENDED WARRANTY - 5 YEARS / 400K MILES	
ENGINE WARRANTY	CUMMINS STANDARD WARRANTY (2 YRS -ISL, 3 YRS ISB)	2017 ISB HD1 4YRS/200K MILES EXT WARRANTY PP1 MATRIX #231131	
		2017 ISB HD1 5YRS/250K MILES EXT WARRANTY PP1 MATRIX #231131	
		2017 ISB HD1 5YRS/300K MILES EXT WARRANTY PP1 MATRIX #231131	
		2017 ISL HD1 3YRS/100K MILES EXT WARRANTY PP1 MATRIX #231156	
		2017 ISL HD1 3YRS/150K MILES EXT WARRANTY PP1 MATRIX #231156	
		2017 ISL HD1 4YRS/200K MILES EXT WARRANTY PP1 MATRIX #231156	
		2017 ISL HD1 5YRS/250K MILES EXT WARRANTY PP1 MATRIX #231156	
		2012 IOL LID 1 5XD 0 (2001) MILEG EXTENTADD ANTEX DD 1 MATED IX (2011 5 c	

2013 ISL HD1 5YRS/300K MILES EXT WARRANTY PP1 MATRIX #231156

$\textbf{AUTOCAR} \ \textbf{ACMD}^{\circledast}$



		An ISO 9001:2000 Certified Company		
Autocar Expert MY 2019 Medium Duty 4X2 Class 7 Standard and Optional Specifications				
CUMMINS AFTERTREATMENT	NO EXTENDED AFTERTEATMENT WARRANTY (2 YRS -ISL, 3 YRS ISB)	2015 ISL-G GT1 5YRS/200K MILES EXT WARRANTY PP1 2015 ISL-G GT1 5YRS/150K MILES EXT WARRANTY PP1 2017 ISB AT3 AFTERTREATMENT 4YRS/200K MILES EXT WARRANTY MATRIX #231345 2017 ISB AT3 AFTERTREATMENT 5YRS/250K MILES EXT WARRANTY MATRIX #231345 2017 ISB AT3 AFTERTREATMENT 5YRS/300K MILES EXT WARRANTY MATRIX #231345 2017 ISL AT3 AFTERTREATMENT 3YRS/100K MILES EXT WARRANTY MATRIX #231445 2017 ISL AT3 AFTERTREATMENT 3YRS/150K MILES EXT WARRANTY MATRIX #231445 2017 ISL AT3 AFTERTREATMENT 4YRS/200K MILES EXT WARRANTY MATRIX #231445		
TRANSMISSION WARRANTY	ALLISON 3YR WARRANTY	2017 ISL AT3 AFTERTREATMENT 5YRS/250K MILES EXT WARRANTY MATRIX #231445 2017 ISL AT3 AFTERTREATMENT 5YRS/300K MILES EXT WARRANTY MATRIX #231445 ALLISON 5YR WARRANTY ALLISON 5YR EDGE WARRANTY		
VEHICLE RATINGS	STANDARD			
VEHICLE TARE WEIGHT, FRONT VEHICLE TARE WEIGHT, REAR GAWF GAWR GVWR	7,929 lbs. 3,765 lbs. 12000 LBS 21000 LBS 33000 LBS			
VOCATION				
APPLICATIONS BODY CAPACITY	CONCRETE PUMPER, ASPHALT DISTRIBUTOR, SWEEPER, ROAD PATCHER 5, 6, 7, 8, 9, 10, 11, 12, 13 YARD	R, REFUSE, CITY DELIVERY/BOX TRUCK, PAINT STRIPER, GEN UTILITY, CITY PUMP, ETC		
CAB INSTRUMENTATION		CAB WARNING DEVICES		
SPEEDOMETER TACHOMETER ENGINE OIL PRESSURE COOLANT TEMPERATURE TRANSMISSION OIL TEMPERATURE VOLTMETER FUEL LEVEL HOUR METER DEF LEVEL PRIMARY (A) AIR PRESSURE SECONDARY (B) AIR PRESSURE ODOMETER TRIPMETER		PARK BRAKE HIGH BEAM TURN SIGNAL LOW FUEL LOW AIR SEAT BELT DPF HEST AIR RESTRICTION INDICATOR FILTER WITH WATER IN FUEL INDICATOR		
OPERATORS CONTROLS PARK BRAKE PUSH/PULL HEADLAMPS TURN SIGNAL COLUMN MOUNTED BRAKE PEDAL ACCELERATOR PEDAL TRANSMISSION GEAR SELLECTOR PUSH	BUTTON	OPTIONAL EQUIPMENT FIRE EXTINGUISHER DRY TYPE ABC 5LB. CAP MTD. IN CAB TRIANGLE FLARE KIT IN CAB ADDITIONAL INSTRUMENTATION AUTO NEUTRAL EXHAUST BRAKE METHANE DETECTION SYSTEM BATTERY SHUTOFF SWITCH WITH EMERGENCY JUMPER STUDS PTO CONTROL SWITCH DAYTIME RUNNING LAMPS		